



List of added, updated and removed articles - catalogue ed. 56

ELECTROMECHANICAL 2-POST LIFTS

Removed articles

- The whole traditional series with and without base including XR versions (199/B-C-F-H-K-L-M-N-O-P-Q)
- 199/D-199/G → versions 199/DK-199/GK remain.
- 199/E-199/S
- 272

Added articles

- 199/ALFA-199/BETA → lifts capacity 4000 kg baseless and with base
- 373 → Set of 2 extensions for art. 199/ALFA-199/BETA

Updated articles

- 372 → compatible even with the lifts capacity 3500 kg art. 199/DELTA-199/GAMMA

ELECTROHYDRAULIC 2-POST LIFTS

Added articles

- 199/WL → Capacity 8000 kg
- 373 → Set of 2 extensions for art. 199/V-199/W

HYDRAULIC 2-RAM INGROUND LIFTS

Removed articles

- 2001

ELECTROMECHANICAL 1-POST AUTOLIFT

Removed section

ELECTROHYDRAULIC TWIN-SCISSOR LIFTS

Removed articles

- 701
- 703/A+460-705+460

- 706-707-708-709 → replaced by art. 718-719
- 720-721 → art. 722-723 still available
- 552/A → replaced by art. 552 + art. A552
- 712

Added articles

- 554-554/I → capacity 3000 kg, lifting height up to 1 meter, floored and recessed models.
- 714/B → Set of 2 crosspieces for art. 718-719-722-723
- A552 → mobile Kit for art. 552
- A554 → mobile Kit for art. 554

Updated articles

- 718-719 → capacity increased to 3500 kg
- 552-553 → supplied just in LV version without changing article codes

LIFTS FOR CAR-BODY SHOP

Added articles

- 541 → electro-hydraulic lift capacity 3000 kg low profile
- 541/IP → hydro-pneumatic lift capacity 3000 kg low profile
- 542 → Set of 4 footboards for art. 541-541/IP

ELECTROHYDRAULIC SCISSOR LIFTS

Removed articles

- 831 → available as 831/SP
- 832 → available as 832/SP
- 851
- 853 → now already included in the product code

Added articles

- 835-835/I → flat platform lift capacity 3500 kg
- 840-840/I → lift capacity 3500 kg with play detector
- 845/A → LED lighting kit for lifts with footboards 5400 mm long
- 847/D → frame for recessed lifts art. 835/I-840/I
- PLUS → locking clamp for motorbike wheel and 2 footboards for art. 840/I-826/I-815/A

Updated articles

- LINE 820 (4000 kg)
 1. Rails for jacking beams as standard on all models
- LINE 800 (5000 kg)
 1. Rails for jacking beams as standard on all models
 2. Footboards 4900 mm long as standard length for all models
 3. Footboards 650 mm wide as standard width for all models

- 4. Longer lift table : 1465/2000 mm
- 5. Lift table extension extractable manually
- 853/A → No longer an accessory. Together with product code.
- 853/B → No longer an accessory. Together with product code. Now 5400 mm long.
- 845 → LED lighting kit for lifts with footboards 4600, 4900, 5100 mm
- 847 → frame for recessed lifts - footboards length 4600 mm
- 847/A → frame for recessed lifts - footboards length 4900 mm
- 847/B → frame for recessed lifts - footboards length 5100 mm
- 847/C → frame for recessed lifts - footboards length 5400 mm

ELECTROHYDRULIC 4-POST LIFTS

Removed articles

- 400/A → Art. 400/C upgraded and updated model
- 401/A → Art. 401/C upgraded and updated model
- 401/AS → Art. 401/C upgraded and updated model
- 401/S → Art. 401/LS updated model
- 402 → Art. 400/C upgraded and updated model
- 402/S → Art. 401/C upgraded and updated model
- 403/CSA
- 452/B → with new art. 452/A, this code is no longer necessary

Added articles

- 403 → lift capacity 5000 kg, flat footboards 4770 mm long
- 441 → electro-hydraulic play detector installed on footboards
- 442 → electro-hydraulic play detector installed on extensions
- 453 → LED lighting kit for lifts with footboards 4200, 4500, 4770, 5000 mm long

Updated articles

- 403/C → now in TOP LINE version (see catalogue)
- 403/CSAI → now in TOP LINE version (see catalogue)
- 403/LS → now in TOP LINE version (see catalogue)
- 403/LSI → now in TOP LINE version (see catalogue)
- 452 → Set of extensions for the housing of the revolving plates for CLASSIC LINE versions
- 452/A → Set of extensions to extend the length of the footboards for CLASSIC LINE versions
- 453/A → LED lighting kit for lifts with footboards 5770 mm long

ELECTROMECHANICAL 4-POST LIFTS FOR HEAVY VEHICLES

Removed articles

- 454/B
- 454/C
- 454/D
- 454/E

- 454/F
- 454/G
- 454/H
- 454/I
- 454/L

Added articles

- 453/B → Led lighting kit for lifts art. 406-407

Updated articles

- 453/A → Led lighting kit for art. 405

ELECTROHYDRAULIC SCISSOR LIFTS FOR HEAVY ARTICLES

Removed articles

- 924
- 927 → Included in the coupled product code (XXX + XXX)

Added articles

- 910+910 → 2 coupled lifts capacity 9 ton each
- 911+911 → 2 coupled lifts capacity 13 ton each one
- 912+912 → 2 coupled lifts capacity 23 ton each one
- 913+913 → 2 coupled lifts capacity 33 ton each one

Updated articles

- 923 → Led lighting kit for lifts with footboards 4600, 6000 mm long
- 923/A → Led lighting kit for lifts with footboards 7000, 8000, 9000 mm long

MOBILE COLUMN LIFTS

Removed articles

- 954-954/A-954/B
- 955-955/A-955/B
- 960-960/A-960/B → Completely replaced by art. 959-959/A-959/B
- 964-964/A-964/B → Completely replaced by 963-963/A-963/B
- 965-965/A-965/B → Completely replaced by 963-963/A-963/B

Added articles

- 952 → Lift capacity 3000 kg each column (set of 4 columns)
- 959-959/A-959/B → Lift capacity 6500 kg each column (set of 4, 6, 8 columns)
- 963-963/A-963/B → Lift capacity 8500 kg each column (set of 4, 6, 8 columns)
- 983/FM → Carriage with adjustable forks
- 984 → Kit for outdoor use
- 982/B → Stand capacity 7200 kg

MOTOR-BIKE LIFTS

Removed articles

- 196/C
- 196/D
- 196/E
- 196/H → Art. 196/P upgraded and updated product
- 196/IS → Art. 196/PI upgraded and updated product
- 196/LS → Art. 196/PL upgraded and updated product
- 196/LS-SP → Art. 196/PL-SP upgraded and updated product
- 565
- A565-B565-C565-D565-E565
- 566/A
- 567

Added articles

- 196/PL-SP → Recessed model of art. 196/PL
- 196/MS-SP → Recessed model of art. 196/MS
- 563/A → Reclining wheel lock vice
- 563/B → L vice

Updated articles

- 196 → Capacity increased from 300 kg to 500 kg
- 196/P-196/PI-196/PL → Now in TOP LINE version (see catalogue)
- 196/MS → Now in TOP LINE version (see catalogue)
- 196/NS → Now in TOP LINE version (see catalogue)
- 196/OS → Now in TOP LINE version (see catalogue)
- 196/OSL → Now in TOP LINE version (see catalogue)
- 196/OSL-SP → Now in TOP LINE version (see catalogue)

ELECTROHYDRAULIC PLAY DETECTORS

Added articles

- 850/I → 4 movement play detector - recessed model
- 855 → 4 movement play detector - floor model
- 855/I → 8 movement play detector - recessed model

Updated articles

- 850 → 4 movement play detector - floor model

JACKING BEAMS

Removed articles

- 450S
- 450/AS
- 451-451SE →
- 451/A-451/ASE →
- 455-455SE →
- 455/A-455/ASE → Replaced by art. 459 e 459/A, upgraded and updated models products
- 456-456S-456SE →
- 456XR-456SXR-456SEXR →
- 457-457S-457SE →
- 457XR-457SXR-457SEXR →
- 458 → Kept models with wheels art. 458/A

Added articles

- 459 → TOP LINE beam capacity 2500 kg with hydro-pneumatic pump
- 459/A → TOP LINE beam capacity 2500 kg with hand-pump
- A459 → Kit of 2 adapters to put on the beams art. 459-459/A
- 458/C → Beam capacity 10.000 kg with two cylinders

HEAVY VEHICLES EQUIPMENT

Removed articles

- 140
- 200
- 194
- 224
- 225

HYDRAULIC TROLLEY JACKS

Removed articles

- 268
- 392
- 392/G-392/H

AXLE STANDS AND ENGINE STANDS

Added articles

- 239/A → capacity 5000 kg - low
- 241/A → capacity 5000 kg - high
- 930 → Changed section

Updated articles

- 111 → Capacity increased from 150 kg to 300 kg
- 219 → Capacity increased from 300 kg to 450 kg

TROLLEYS AND WORKBENCHES

Removed articles

- 109
- 202-202/A
- 1101-1102-1103-1104-1105-1106-1107
- 1001/A-1001/APL-1002/A-1002/APL
- C50

ELECTROHYDRAULIC LIFTS WITH BUILT-IN-PULL-BENCH

Removed section

SPECIAL EQUIPMENT FOR CAR-BODY SHOP

Removed articles

- 274/B
- 293
- 293/A
- 384/A
- 394

PROFESSIONAL TOOLS

Removed articles

- 282/A
- 288
- 289
- 291
- 291/A
- 308-309-310-311
- 312-313-314-315
- 317
- 319
- 320

HYDRAULIC JACKS FOR CAR-BODY SHOP

Removed articles

- 103-104-104 EXPORT
- 350 → Now it is easier to choose the cylinders to create your own assortment
- 350/B → Art. 108 upgraded and updated models
- 352 → Now you get it combining art. 350/C + art. 324
- 106 → Art. 106/A updated version
- 090
- 096/B
- 098

Updated articles

- 321 → Kit composed by 2 claw hooks with threaded coupling
- 322 → Kit composed by 2 buttonhole hooks and threaded coupling

STRAIGHTENERS FOR CAR-BODY SHOP

Removed articles

- STRONG MINOR
- STRONG MAJOR → Art. STRONG MAJOR/R more complete model

TROLLEY HYDRAULIC CRANES

Removed articles

- 220 → Art. 135 updated model
- 221 → Art. 136 updated model

Added articles

- GP10/DE-AX → Folding hydraulic crane capacity 1000 kg homologated Atex

PIPE BENDING MACHINE

Removed articles

- Former of 3"1/2 for art. RAPID T10 E and E/M
- 139
- 139/A

Added articles

- TP/1 → Trivet for hydraulic pipe-bender until 3"
- TP/2 → Trivet for hydraulic pipe-bender over 3"

HYDRAULIC PUMPS AND CYLINDERS FOR INDUSTRIAL SOLUTIONS

Removed articles

- 358/M-358/N
- BA/10-BA/11-BA/12 → No more necessary with the new updated series

Added articles

- Creation of apposite article codes for cylinders with spring return
- Single effect long stroke hydraulic cylinder series from 5 to 50 ton
- Hollow plunger double effect cylinders series from 24 to 48 ton

Updated articles

- BA/1-BA/2-BA/3-BA/4-BA/5 → Updated dimensions and compatibility
- M/1 → New scale 0-1000 bar

HYDRAULIC PRESSES

Removed articles

- 153/SA → Now available with plate and V-blocks only
- 154/SA-155/SA-156/SA → Now available with plate and V-blocks only
- 154/SAIP-155/SAIP-156/SAIP → Now available with plate and V-blocks only
- 154/SAP-155/SAP-156/SAP → Now available with plate and V-blocks only
- 162/RM-164/RM-164/RSM-204/RM → Now mobile piston is a separated reference
- 205/RM-280/RM → → Now mobile piston is a separated reference
- 164/RPAL-164/RPL-204/REP-204/REPA

Added articles

- 157/IP → Press with hydro-pneumatic foot pump capacity 40 ton
- 158/IP → Press with hydro-pneumatic foot pump capacity 50 ton
- 164/WS → Electro-hydraulic press capacity 100 ton width 1520 mm operated with one hand
- 204/W → Electro-hydraulic press capacity 150 ton light 1520 mm operated with one hand
- 204/WE → Electro-hydraulic press capacity 150 ton light 1000 mm operated with one hand
- 205/W → Electro-hydraulic press capacity 200 ton operated with one hand
- 280/W → Electro-hydraulic press capacity 300 ton operated with one hand
- 162/WM → Electro-hydraulic press with movable stanchion capacity 50 ton
- 164/WM → Electro-hydraulic press with movable stanchion capacity 100 ton
- 204/WM → Electro-hydraulic press with movable stanchion capacity 150 ton
- 040-040/A-040/B → Set of 2 extensions for presses with movable stanchion
- 038-038/A-038/B → Set of modular blocks for presses with movable stanchion
- 020 → Mobile piston for 10-15-20 ton presses (according to specific models)
- 021 → Mobile piston for 30 ton presses (according to specific model)
- 022-022/A-022/B-022/C-022/D → Mobile piston for 50-100-150-200-300 ton presses (according to specific models)
- All accessories references of price list now in catalogue

ENVIROMENTAL EQUIPMENT

Removed articles

- 600/A-600/B
- 600 → Now in section "TROLLEYS AND WORKBENCHES"